	Type	Hits	Search Text	DBs
1	BRS	1	3577189.pn.	USPAT
2	BRS	154	712/219.ccls.	USPAT
3	BRS	291	712/207.ccls.	USPAT
4	BRS	0	712/2237.ccls.	USPAT
5	BRS	181	712/237.ccls.	USPAT
6	BRS	553	712/237-240.ccls.	USPAT
7	BRS	161	712/241.ccls.	USPAT
8	BRS	74	712/242.ccls.	USPAT
9	BRS	7	(pre adj (calculat$4 or comput$3) with ((branch$3 or call$3) near2 (dest$8 or address$3 or target)))	USPAT
10	BRS	20	(pre adj (calculat$4 or comput$3) with ((branch$3 or call$3) near2 (dest$8 or address$3 or target)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	1332	split near2 branch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	215	split near2 branch$3 and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	97	712/235.ccls.	USPAT
14	BRS	7	branch near2 default near2 (address or target)	USPAT
15	BRS	8	(ostler.in. and Farrell.in.) or (Dagher.in. and antoine.in.)	USPAT
16	BRS	6	default adj destination adj address	USPAT

	Type	Hits	Search Text	DBs
17	BRS	30	"365188"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1603	prepar$3 near2 branch$3	USPAT
19	BRS	2322	prepar$3 near2 branch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	14	prepare-to-branch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	default adj branch adj register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	119	default adj register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	303	split adj branch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	5	jack.in. and davidson.in.	USPAT
25	BRS	6	david.in. and whalley.in.	USPAT
26	BRS	300	branch near2 prep$7	USPAT
27	BRS	228	branch adj register	USPAT
28	BRS	17	(pre adj (calculat$4 or comput$3) with ((branch$3 or call$3) near2 (condition$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
	Type	Hits	Search Text	DBs

	Type	Hits	Search Text	DBs
29	BRS	3	default near2 branch near2 condition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB